


PV907 Series

S-Video Baluns



Features/Advantages	Description	Applications
<ul style="list-style-type: none"> S-Video (Y/C baseband) channel on one run of UTP Use for point to point replacement of coax and shielded cables Rugged plastic cases Made in USA 100% tested 	<p>The ETS PV907 S-Video adapts Category 5 or better premise wiring for use with Super-VHS, Hi-8 and other "Y/C" format, high quality video signals.</p> <p>The PV907 uses the industry standard 4 pin mini-DIN connector. This arrangement complements the connector on most high-end consumer and Y/C format professional video devices.</p> <p>The PV907 is a passive (non-powered) device. It is bi-directional, in the sense that identical baluns are used on transmit and receive ends of the run of UTP. Used in pairs to adapt both ends of a run of Category 5 or better cable, the result is clean, transparent video transmitted over distances in excess of 300 meters.</p>	<ul style="list-style-type: none"> Home Theater High Resolution Remote Monitors "Prosumer" Video Equipment Video Projection Systems

Specifications		Product Ordering Information	
Bandwidth	Flat to 60 MHz	PV907	S-Video 4 pin Mini DIN to RJ45 jack pins 1,2 & 7,8
Common Mode Rejection	>50dB	PV907PT	S-Video + Pass Through, (1) 4 pin mini din + (1) 4 position terminal to RJ45 jack, all pairs used
Connectors	4 pin Mini DIN to RJ45 jack		
Distance	Excess 300 meters, 1000 ft		
Emission	Meets FCC Class A		
Media	Category 3 or better		
Dimensions	66mm x 66mm x 28mm		
Net Weight	0.07 kg		
	Category 5 or better recommended		

© Copyright 2005-2009 Energy Transformation Systems, Inc.
 FatCat5 System panels and information outlets protected under US Patent Number 6,123,577. FatCat5, FatCat5 System, Chameleon Color Coding System, Balanced Star, Balanced Line, Monoline and Precision Wave are trademarks of Energy Transformation Systems. All other brand or product names are or may be trademarks of, and are used to identify the products or services of their respective owners. Revised 11/16/2009



Energy Transformation Systems, Inc.
 43353 B Osgood Road, Fremont, CA 94539
 www.etslan.com
 800-752-8208 510-656-2012 Fax 510-656-2026

